# UNCLASSIFIED

# AD NUMBER AD835241 **NEW LIMITATION CHANGE** TO Approved for public release, distribution unlimited **FROM** Distribution authorized to U.S. Gov't. agencies and their contractors; Critical Technology; SEP 1966. Other requests shall be referred to Department of the Army, Fort Detrick, Attn: Technical Releases Branch, Frederick, MD 21701. **AUTHORITY** Fort Detrick/SMUFD ltr dtd 15 Feb 1972



DATE: 12 SEPTEMBER 1966

## DDC AVAILABILITY NOTICE

Qualified requestors may obtain copies of this document from DDC.

This publication has been translated from the open literature and is available to the general public. Non-DOD agencies may purchase this publication from the Clearinghouse for Federal Scientific and Technical Information, U. S. Department of Commerce, Springfield, Va.

STATEMENT #2 UNCLASSIFIED

This document is subject to special export controls and each transmittal to foreign governments or foreign nationals may be rade only with prior approval of DEPARTMENT OF THE ARMY

DEPARTMENT OF THE ARMY
Fort Detrick
Frederick, Maryland 2/70/
Alla: - Ved. Salsasa: Br. JUL 15 1968

### IMMUNOFLUORESCENCE IN INFECTIOUS DISEASES

Postepy Hig. Med. Dosw. (Progress of Hygiene) Vol. 18: 1964, p. 663-680

#### CONCLUSION

From a pertinent review of the literature it would follow that the fluorescent antibody method (TPF) can be used in principle for the diagnosis of all microorganisms. Nevertheless, the advantages which arise from shortening the examination time must be sometimes paid at the expense of non-specificity or reduced sensitiveness of the reaction. In every case the speed, sensitiveness, and specificity of staining must be determined under conditions characteristic for the given application of TPF. In every examination, an accurately defined control test must be included. A conventional method of isolation and identification must be simultaneously carried out with the same test material.

At the present moment, none of the immunefluorescence reactions replaced yet entirely the corresponding method of conventional diagnosis.

Abbrev.: TPF - Treponema pallidum fluorescence test.